



UNITED STATES PATENT AND TRADEMARK OFFICE

cm

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/436,135	11/09/1999	DAVID VAN GUNTER	200310	6185

7590 01/13/2005

LEYDIG VOIT & MAYER LTD
TWO PRUDENTIAL PLAZA
SUITE 4900
180 NORTH STETSON
CHICAGO, IL 606016780

EXAMINER


SHIN, KYUNG H

ART UNIT	PAPER NUMBER
----------	--------------

2143

DATE MAILED: 01/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<p align="center">Office Action Summary</p>	Application No. 09/436,135	Applicant(s) VAN GUNTER ET AL. 	
	Examiner Kyung H Shin	Art Unit 2143	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 October 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 November 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is responding to application papers filed 10/13/2004.
2. Claims 1 - 15 are pending. Claims 1, 8 have been amended. Independent claims are 1, 8.

Claim Rejection - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1 - 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jain et al. (US Patent No. 6,311,218) in view of Goldman (US Patent No. 5,684,951) and further in view of Wesinger et al. (US Patent No. 6,052,788).**

Regarding Claim 1, Jain discloses (Currently Amended) a computer-readable medium having computer-executable instructions for operating a policy agent of a network for performing steps comprising:

- a) detecting a network connection from a client computer on the network; (see Jain col. 4, lines 54-57: detect a network port connection)

Art Unit: 2143

- b) composing a challenge for authenticating a user of the client computer associated with said network connection, the challenge being encrypted with a private key of the policy agent; (see Jain col. 2, lines 44-47: challenge-response authentication mechanism utilized)
- c) transmitting the challenge to the client computer; (see Jain col. 2, lines 44-47: challenge presented to user)
- d) receiving a response from the client computer; (see Jain col. 2, lines 44-47: response received)
- e) decrypting the response using a public key of the user to obtain a first message digest value; (see Jain col. 6, lines 13-15: decrypt the response with public key)
- g) Jain discloses a policy agent for network security. Jain does not disclose generation of a message digest (hash) from challenge and input data. However, Goldman discloses calculating a second message digest value based on the challenge and input (network) data; (see Goldman col. 9, lines 38-41: message digest (hash) generated with challenge and secret data)
- h) Jain does not disclose the comparison of a first and second message digest values to determine a match. However, Goldman discloses comparing the first and second message digest values to determine whether a match is found; (see Goldman Figure 9; col. 10, lines 51-56: comparison to determine a match result)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize message digest generation and comparisons within an authentication system as taught by Goldman. One of ordinary skill in the art would be motivated to employ Goldman in order to strengthen security for network communications systems. (see Goldman col. 1, lines 60-66: “ ... *a user validation system that offers entry security even if a user password or identification number is compromised ... safe guards against unauthorized entry, but also effectively records and flags unauthorized entries to authorized users ...* ”)

- f) Jain does not disclose processing of network data through network connection. However, Wesinger discloses receiving network data through the network connection with the client computer; (see Wesinger col. 4, lines 1-5; col. 10, lines 58-66: out of band authentication, data filtering utilizing encryption/decryption)
- i) Jain does not disclose filtering (encryption/decryption) of network data to determine a match. However, Wesinger discloses if a match is found, then forwarding the network data to their specified recipient, else not forwarding the network data to their specified recipient. (see Wesinger col. 4, lines 1-5; col. 10, lines 58-66: out-of-band authentication and network data packet filtering encryption/decryption mechanism utilized)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize an out-of-band authentication and

Art Unit: 2143

data filtering mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57: “
... provides a firewall that achieves maximum network security and maximum user convenience ...”)

Regarding Claim 2 (Original), Wesinger discloses a computer-readable medium as in claim 1, wherein the policy agent is a firewall. (see Wesinger col. 3, lines 55-57: policy agent, a firewall)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilized out-of-band authentication and data filtering with a firewall mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57)

Regarding Claims 3, 10 (Previously Presented), Jain discloses a computer-readable medium as in claims 1, 8, wherein the step of composing includes encrypting the challenge with a public key of the user. (see Jain col. 6, lines 2-9: encrypt challenge with public key)

Regarding Claims 4, 11 (Original), Jain discloses a computer-readable medium as in claims 3, 8, wherein the step of decrypting includes decrypting the response with a

Art Unit: 2143

private key of the policy agent. (see Jain col. 6, line 2-9: decrypt response with private key)

Regarding Claims 5, 12 (Original), Jain does not disclose generating a message digest with the inclusion of a time stamp. However, Goldman discloses a computer-readable medium as in claims 1, 8, wherein the step of composing includes generating a message digest with the inclusion of a time stamp. (see Goldman col. 9, lines 34-41: generate message digest with timestamp value)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize message digest generation and comparisons within an authentication system as taught by Goldman. One of ordinary skill in the art would be motivated to employ Goldman in order to strengthen security for network communications systems. (see Goldman col. 1, lines 60-66)

Regarding Claims 6, 13 (Original), Jain-Goldman discloses an authentication mechanism utilizing cryptography, message digest generation and comparison. Jain-Goldman does not disclose an out-of-band authentication mechanism utilizing network data packet filtering. However, Wesinger discloses a computer-readable medium as in claims 1, 8, wherein the received network data are in a form of packets, and the step of calculating calculates the second message digest value based on a pre-selected number of packets of the received network data. (see Wesinger col. 4, lines 1-5; col. 10, lines 58-66: out-of-band authentication and network data packet filtering)

encryption/decryption mechanism utilized)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize a firewall with an out-of-band authentication and data filtering mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57)

Regarding Claims 7, 9 (Original), Jain-Goldman discloses an authentication mechanism utilizing cryptography, message digest generation and comparison. Jain-Goldman does not disclose an out-of-band authentication mechanism utilizing network data packet filtering. However, Wesinger discloses a computer-readable medium as in claims 1, 8, having further computer-executable instructions for performing network access policies on the received network data according to the identity of the user after a match between the first and second message digest values is found. (see Wesinger col. 4, lines 1-5; col. 10, lines 58-66: out-of-band authentication and network data packet filtering encryption/decryption mechanism utilized)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize an out-of-band authentication and data filtering mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57)

Art Unit: 2143

R garding Claim 8 (Currently Amended), Jain discloses a method of authenticating a user using a client computer on a network to transmit network data through a policy agent of the network, comprising the steps of:

- a) detecting by the policy agent a network connection from the client computer for transmitting network data of the user; (see Jain col. 4, lines 54-57: detect network port connection)
- b) receiving by the policy agent network data transmitted through the network connection from the client computer; (see Jain col. 2, lines 55-58: receive data over network connection)
- c) obtaining, by the policy agent, an identity of the user and a public key of the user; (see col. 4, lines 27-36: obtain user identity)
- d) composing, by the policy agent, a challenge encrypted with a private key of the policy agent; (see Jain col. 2, lines 44-47: challenge-response authentication mechanism utilized)
- e) sending the challenge to the client computer; (see Jain col. 2, lines 44-47)
- f) decrypting, by the client computer, the challenge; (see Jain col. 6, lines 13-15)
- h) encrypting, by the client computer, the first message digest value with a private key of the user to create a response; (see Jain col. 5, line 66 - col. 6, line 2)
- i) sending the response to the policy agent; (see Jain col. 6, lines 2-9)
- j) decrypting, by the policy agent, the response to obtain the first message digest value; (see Jain col. 6, lines 13-15)

- k) Jain discloses a policy agent for network security. Jain does not disclose generation of a message digest (hash) from input data. However, Goldman discloses calculating a second message digest value based on the challenge and the network data received through the network connection from the client computer; (see Goldman col. 9, lines 14-15)
- l) Jain does not disclose the comparison of a first and second message digest values to determine a match. However, Goldman discloses comparing the first and second message digest values to determine whether there is a match there between, (see Goldman col. 10, lines 52-53)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize message digest generation and comparison within an authentication mechanism as taught by Goldman. One of ordinary skill in the art would be motivated to employ Goldman in order to strengthen security for network communications systems. (see Goldman col. 1, lines 60-66)
- g) Jain-Goldman discloses a challenge authentication mechanism. Jain-Goldman does not disclose an out-of-band authentication and network packet filtering system. However, Wesinger discloses generating, by the client computer, a first message digest value based on the network data of the user; (see Wesinger col. 4, lines 1-5; col. 10, line 58-66:)
- m) Jain-Goldman discloses a challenge authentication mechanism. Jain-Goldman does not disclose an out-of-band authentication and network packet filtering

system. However, Wesinger discloses if a match is found, then forwarding, by the policy agent, the network data to their specified recipient, else not forwarding the network data to their specified recipient. (see Wesinger col. 4, lines 1-5; col. 10, line 58-66: out-of-band authentication, data filtering utilizing encryption/decryption)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize a firewall with an out-of-band authentication and data filtering mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57)

Regarding Claim 14 (Original), Jain discloses encryption/decryption techniques for an authentication challenge. Jain does not disclose the generation of a message digest utilizing random numbers and a challenge. However, Goldman discloses a method as in claim 8, wherein the step of generating by the client computer generates the first message digest value based on a random number, data decrypted from the challenge, and data of the pre-selected packets of the received network data. (see Goldman col. 9, lines 38-41: message digest generated utilizing random patterns, challenge (secret) and data)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize message digest generation and comparison

Art Unit: 2143

within an authentication mechanism as taught by Goldman. One of ordinary skill in the art would be motivated to employ Goldman in order to strengthen security for network communications systems. (see Goldman col. 1, lines 60-66)

Regarding Claim 15 (Original), Jain discloses a security server acting as a policy agent. Jain does not disclose a firewall. However, Wesinger discloses a method as in claim 8, wherein the policy agent is a firewall of the network. (see Wesinger col. 3, lines 55-57: policy agent, a firewall)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Jain to utilize an out-of-band authentication and data filtering mechanism as taught by Wesinger. One of ordinary skill in the art would be motivated to employ Wesinger in order to strengthen security for communications in network environments. (see Wesinger col. 3, lines 55-57)

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kyung H Shin whose telephone number is (571) 272-3920. The examiner can normally be reached on 9 am - 7 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KHS

Kyung H Shin
Patent Examiner
Art Unit 2143

KHS
Jan. 7, 2005

A handwritten signature in black ink, consisting of a large, stylized 'D' followed by a horizontal line and a diagonal stroke.

DAVID WILEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100